DDDDDDDDDD			RRRRRRR		VVV	VVV	EEEEEEEEEEEEE		RRRRRRR
			IRRRRRRR IRRRRRRR		VVV	VVV	EEEEEEEEEEEEEE		RRRRRRRR
				111111111	VVV	VVV			RRRRRRRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	111	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRRRR	RRRRRRR	111	VVV	VVV	EEEEEEEEEEE	RRRR	RRRRRRRR
DDD	DDD	RRRRR	RRRRRRR	İİİ	VVV	VVV	EEEEEEEEEEE	RRRRR	RRRRRRRR
DDD	DDD	RRRRR	RRRRRRR	ĬĬĬ	VVV	ŸŸŸ	EEEEEEEEEE		RRRRRRRR
DDD	DDD	RRR	RRR	ĬĬĬ	VVV	VVV	EEE	RRR	RRR
DDD	DDD	RRR	RRR	İİİ	ΫVV	VVV	ĒĒĒ	RRR	RRR
DDD	DDD	RRR	RRR	ĬĬĬ	VVV	ŸŸŸ	ĒĒĒ	RRR	RRR
DDD	DDD	RRR	RRR	iii	VVV	VVV	ĒĒĒ	RRR	RRR
DDD	DDD	RRR	RRR	iii	ŸŸŸ	ΫΫΫ	ĔĒĒ	RRR	RRR
DDD	DDD	RRR	RRR	iii	ŸŸŸ	ΫΫΫ	ĒĒĒ	RRR	RRR
DDDDDDDDDD		RRR	RRR	111111111		/V	ÈÈÈEEEEEEEEEE	RRR	RRR
DDDDDDDDDD		RRR	RRR	iiiiiiiii		ŽŽ	EEEEEEEEEEEEE	RRR	RRR
DDDDDDDDDD		RRR	RRR	iiiiiiiii		/V	EEEEEEEEEEEEE	RRR	RRR
		*****	******		•	•		••••	

X X X X	XX			-		RRRRR		V V V V	V V V V	EEEEEEEEEE		RRRRR RRRRR	
XX	XX	II	DD	DD	RR	RR	ii	ΫŸ	νν	EE	RR	RR	
XX	XX	11	DD	DD	RR	RR	11	VV	VV	ĒĒ	RR	RR	
XX	XX	11	DD	DD	RR	RR	II	VV	VV	EE	RR	RR	
XX	XX	ΙΙ	DD	DD	RR	RR	ΙΙ	VV	VV	EE	RR	RR	
X		I I	DD	DD		RRRRR	ΙΙ	VV	VV	EEEEEEEE		RRRRR	
X)		11	DD	DD		RRRRR	II	VV	VV	EEEEEEEE		RRRRR	
XX	XX	11	DD	DD	RR	RR	11	VV	VV	EE	RR	RR	
XX	XX	i i	DD	DD	RN	RR	11	VV	٧٧	EE	RR	RR	
XX	XX	11	DD	DD	RR	RR	Ιİ	VV	VV	EE	RR	RR	• • • •
XX	XX	11	DD	DD	RR	RR	! !	٧٧	٧٧	tt	RR	RR	• • • •
XX	XX	111111	DDDDDDD		RR	RR	111111	V		EEEEEEEEE	RR	RR	• • • •
XX	XX	111111	DDDDDDD	טכ	RR	RR	111111	٧	V	EEEEEEEEE	RR	RR	• • • •

•

G 11 16-SEP-1984 04:34 VAX-11 Linker V04-00

Page

Object Module Synopsis!

Module Name	Ident	Bytes	file		Creation Date	Creator	
		••••					
XIDRIVER	V04-001	1115	_\$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1 SYSOBJ]SYS.STB;1	16-SEP-1984 00:16		
SYS	v04-000	Ŭ	-2553DUA58: [2420R11242.21R:I	16-SEP-1984 04:00	VAX-11 Linker V04-0(
SYS\$10DEF	v 04-000	0	_\$255\$DUA28:[SYSLIBISTARLET.OLB; 2	16-SEP-1984 00:18	VAX/VMS Macro V04-0)

_\$255\$DUA28:[DRIVER.OBJ]XIDRIVER.EXE;1

DEFAULT_CLUSTER 2 3

H 11 16-SEP-1984 04:34 VAX-11 Linker V04-00

Page 2

! Image Section Synopsis!

Type Pages Base Addr Disk VBN PfC Protection and Paging Global Sec. Name Match Cluster Majorid Minorid

2 O READ WRITE COPY ON REF

Key for special characters above:

00000000

R - Relocatable !
P - Protected !

_\$255\$DUA28:[DRIVER.OBJ]XIDRIVER.EXE;1

I 11 16-SEP-1984 04:34 VAX-11 Linker V04-00

Page 3

Program Section Synopsis.

Psect Name	Module Name	Base	End	Length	Align	Attributes			
\$\$\$105_PROLOGUE	XIDRIVER	00000000	00000068 00000068	00000069 (105.) BYTE O NOPIC,USR 105.) BYTE O	,CON,REL,LCL,NOSHR,	EXE,	RD,	WRT, NOVEC
\$\$\$115_DRIVER	XIDRIVER			000003f2 (000003f2 (1010.) LONG 2 NOPIC,USR 1010.) LONG 2	,CON,REL,LCL,NOSHR,	EXE,	RD,	WRT, NOVEC

! Symbol Cross Reference!

Symbol	Value	Defined By	Referenced By
COMSFLUSHATTNS	8000E0B5	SYS	XIDRIVER
COMSSETATINAST		ŠYŠ	XIDRIVER
DEVSM AVL	00040000	SYS\$10DEF	XIDRIVER
DEVSM_IDV DEVSM_ODV	04000000	SYS\$10DEF	
DEV\$M_ODV	08000000	SYS\$10DEF	
DEVSM_RTM	20000000	SYS\$10DEF	
EXESABORTIO	80009010	SYS	XIDRIVER
EXESFINISHIO EXESFORK	80009C2B	ŠYŠ	XIDRIVER
EXESFORK	8000A048	SYS	XIDRIVER
EXESGL_TENUSEC	80002050	SYS	XIDRIVER
EXESGL_UBDELAY	80002054	SYS SYS	XIDRIVER
EXESIOFORK	8000A044	SYS	XIDRIVER
EXESREAD	8000950F	SYS	XIDRIVER
EXESSENSEMODE	80009602	SYS	XIDRIVER
EXESSETCHAR	80009695	SYS	XIDRIVER
EXESURITE	80009518	SYS	XIDRIVER
10CSCANCEL 10		SYS	XIDRIVER
IOCSMNTVER	8000CF43	SYS	XIDRIVER
IOC\$MOVFRUSER	8000C9A9	SYS	XIDRIVER
10C\$MOVTOUSER	80000901	SYS	XIDRIVER
IOCSREQCOM	8000CEB4	SYS	XIDRIVER
IOCSRETURN IOCSWFIKPCH	800000333	SYS	XIDRIVER
CCHROACT	800000	SYS	XIDRIVER
SCHSQAST	00009100 (8617268	SYS	XIDRIVER
SYSSK_VERSION	48513258	SYS	
XISDDT	0000006C - R	XIDRIVER	

5

! Symbols By Value !

Symbols...

Value 00000060 R-XISDDT -XISDDT
DEVSM_AVL
DEVSM_IDV
DEVSM_ODV
DEVSM_RTM
SYSSK_VERSION
EXESGL_TENUSEC
EXESGL_UBDELAY
EXESREAD 00040000 04000000 08000000 20000000 48513258 80002C50 80002C54 8000950F 80009518 80009695 EXESURITE EXESSETCHAR EXESSENSEMODE 80009602 80009010 EXESABORT 10 80009C2B EXESFINISHIO 80009f68 SCHSQAST 8000A044 EXESIOFORK 8000A048 EXESFORK 8000C9A9 IOC SMOVE RUSER IOCSMOVTOUSER IOCSCANCELIO 80000901 8000CD71 8000CEB4 IOCSREGCOM IOCSMNTVER IOCSRETURN IOCSWFIKPCH 8000CF43 8000D355 8000D356 8000E0B5 **COMSFLUSHATTHS**

8000E 13B

Key for special characters above:

- Undefined

COMSSETATTNAST

- U Universal
- R Relocatable
- ! x External

```
Image Synopsis!
Virtual memory allocated:
                                                        0000000 000005ff 00000600 (1536. bytes, 3. pages)
Stack size:
                                                                O. pages
Image header virtual block limits:
                                                                                     1. block)
Image binary virtual block limits:
                                                                            4. (
                                                                                     3. blocks)
Image name and identification:
                                                         XIDRIVER VO4-001
Number of files:
Number of modules:
Number of program sections:
                                                               25.
50.
Number of global symbols:
Number of cross references:
Number of image sections:
                                                        NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14922834 FULL WITH CROSS REFERENCE in file _$255$DUA28:[DRIVER.LIS]XIDRIVER.MAP;1
image type:
Map format:
Estimated map length:
                                                        21. blocks
                                                    ! Link Run Statistics !
Performance Indicators
                                                        Page faults
                                                                        CPU Time
                                                                                          Elapsed Time
    Command processing:
                                                                        00:00:00.28
                                                                                          00:00:01.51
                                                                   55
    Pass 1:
                                                                                          00:00:07.96
    Allocation/Relocation:
                                                                        00:00:00.14
                                                                                          00:00:01.62
                                                                    6
```

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 246
of which 65 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1 with 1 extracted to resolve undefined symbols

Map data after object module synopsis:

Symbol table output:

Total run values:

4 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES:XIDRIVER/CONTIGUOUS/MAP=MAPS:XIDRIVER/FULL/CROSS LIBS:DRIVER/INCLUDE=XIDRIVER,EXSH:SYS.STB/SELECTIVE,SYSSINPUT/OPTION
BASE=0

00:00:00.25

00:00:00.24

00:00.00.04

00:00:02.27

101

00:00:01.11 00:00:00.24 00:00:00.57

00:00:13.11

0106 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

